


STRONG • STURDY • RELIABLE



• OE CARGO HANDLING ROLLER-BED CASTORS

SPECIALITY OF AIR CARGO CASTORS BY KALPAR

REDUCES THE CONSTANT PREVAILING FAILURE DUE TO RAIN, SNOW AND DEICING.

REDUCES SOME OF THE SAFETY CONCERN DURING THE WORKING.

THE TRIPLE SEALED SYSTEM WITH 650 LBS CAPACITY IMPROVES MANEUVERABILITY UPTO 3 TIMES.



OVERVIEW OF FEATURES AND BENEFITS

- High impact and good abrasion resistance, special grade wheel.
- Contains 2 precision ball bearings with rubber seals increasing mobility and reducing contamination.
- Zinc plated dust shield provides a third level of protection.
- Zinc plated housing for reduced corrosion and precision ball bearing for swivel action.
- Dual duty Zinc plated machined bushing for even load distribution and a second level of protection against contamination.

58mm DIAMETER CASTOR (Premium Series)



PZS 058 NO SOVPOTG P

> Wheel material: Nylon

Description

- > Dual precision ball bearing with dual metal bush and metal wheel cover
- Mounting plate oval (diamond) type with attached toe guard

8		E E					1	10		
58	35	0 0	110x70	12.3	88.7	15	105	96	55	275 kgs / 606 lbs



PZS 058 NO SOVPO P

Wheel material: Nylon

Description

- > Dual precision ball bearing with dual metal bush and metal wheel cover
- Mounting plate oval (diamond) type without toe guard.

58	35	8 8	110x70	12.3	88.7	96	55	275 kgs /



PZS 058 NO SRCPOTG P

> Wheel material: Nylon

Description

- > Dual precision ball bearing with dual metal bush and metal wheel cover
- Mounting plate rectangle type with attached toe guard

Ø		010	* * † † † †	* * * *						
58	35	0 0	110x80	9	60х86	15	105	96	55	275 kgs / 606 lbs



PZS 058 NO SRCPO P

> Wheel material: Nylon

Description

- > Dual precision ball bearing with dual
- metal bush and metal wheel cover
- Mounting plate rectangle type without toe guard

Ø		E E	+ + +	-> + + + +		<u> </u>		
58	35	0 0	110x80	9	60x86	96	55	275 kgs / 606 lbs

70mm DIAMETER CASTOR with integrated Toe guard (Premium Series)



PZS 070 NO SOVPOTG P I

> Wheel material: Nylon

Description

- Dual precision ball bearing with dual metal bush and metal wheel cover
- Mounting plate oval (diamond) type with integrated toe guard

Ø		010								
70	35	0 0	112х76	11.5x8.5	87.8	20	135	104	59	300 kgs / 661 lbs




PZS 070 NO SOVPO P

> Wheel material: Nylon

Description

- Dual precision ball bearing with dual metal bush and metal wheel cover
- Mounting plate oval (diamond) type without toe guard



70mm DIAMETER CASTOR with attachable Toe guard (Premium Series)



PZS 070 NO SOVPOTG P C

Wheel material: Nylon

Description

- Dual precision ball bearing with dual metal bush and metal wheel cover
- Mounting plate oval (diamond) type with attached toe guard

8		010					1	10		
70	35	0 0	110x70	12.3	88.7	20	105	101	63	300 kgs / 661 lbs



PZS 070 NO SOVPO P C

Wheel material: Nylon

- Dual precision ball bearing with dual metal bush and metal wheel cover
- Mounting plate oval (diamond) type without toe guard

Ø		010				<u> </u>		
70	35	0 0	110x70	12.3	88.7	101	63	300 kgs /



PZS 070 NO SRCPOTG P C

Wheel material: Nylon

Description

- Dual precision ball bearing with dual metal bush and metal wheel cover
- Mounting plate rectangle type with attached toe guard

Ø		010	+ + + + +	* * * *						
70	35	0 0	110x80	9	60х86	20	105	101	63	300 kgs / 661 lbs



PZS 070 NO SRCPO P C

Wheel material: Nylon

Description

- Dual precision ball bearing with dual metal bush and metal wheel cover Mounting plate rectangle type
- without toe guard

Ø		000	+ + +	+ + + +		10		Å
70	35	0 0	110x80	9	60х86	101	63	300 kgs / 661 lbs




70mm DIAMETER CASTOR with Snap fitting design with exchangeable wheel

PZS 070 NO SPVPOTG P SF

Wheel material: Nylon

Description

- Dual precision ball bearing with dual metal bush and metal wheel cover Mounting plate oval (diamond) type with integrated toe guard.
- And snap fit wheel assembly.





58mm & 70mm DIAMETER CASTOR (Economy Series)



PZS 058 NO SOVPOTG E | PZS 070 NO SOVPOTG E C

Wheel material: Nylon

Description

- Dual precision ball bearing with single metal bush and plastic wheel cover
- Mounting plate oval (diamond) type with attached toe guard.

Ø		000	
58	35	88	110x70
7.0		M M	44074

12.3	88.7
12.7	22 -



Ŕ 55 63

250 kgs / 551 lbs 275 kgs /

606 lbs




PZS 058 NO SOVPO E | PZS 070 NO SOVPO E C

Wheel material: Nylon

- Dual precision ball bearing with single metal bush and plastic wheel cover
- Mounting plate oval (diamond) type without toe guard.

(8)		010		
58	35	8 8	110x70	



4 TA 96 55

63

101

250 kgs / 551 lbs

96

101

275 kgs /

606 lbs



PZS 058 NO SRCPOTG E | PZS 070 NO SRCPOTG E C

Wheel material: Nylon

Description

Dual precision ball bearing with single metal bush and plastic wheel cover Mounting plate rectangle type with attached toe guard

Ø		010	+ +
58	35	8 8	110х8

35





Ŕ M 96

250 kgs / 55 551 lbs 275 kgs / 63

606 lbs



PZS 058 NO SRCPO E | PZS 070 NO SRCPO E C

Wheel material: Nylon

Description

Dual precision ball bearing with single metal bush and plastic wheel cover Mounting plate rectangle type without toe guard.

Ø
58

70

70

70

35



∄ ∄ 110x80



101

60x86

R 55

63

250 kgs / 551 lbs 275 kgs / 606 lbs

Code Description explanation

CODE = PZS 058 NO SOVPOTG P		
PZS = PRESSED ZINC STEEL	RCPO= RECTANGLE TYPE PLATE	
058= WHEEL DIAMETER	TG= TOE GUARD	
NO= WHEEL MATERIAL (NYLON)	E = ECONOMY	
S = SWIVEL TYPE	P = PREMIUM	
OVPO = OVAL (DIAMOND) TYPE PLATE		
WE CAN PROVIDE WHEEL MATERIAL PP (POLYPROPYLENE) ALSO FOR ALL ABOVE MODELS		







Cargo Decks and Castor Decks

Multi Directional Conveying of ULD's is a significant requirement for Airports. Kalpar produces among the best-in-class castors for efficient and effective cargo deck movement.

Kalpar Castors Serves All Major **Air Cargo Applications**

- · Used for express logistics by airports, factories, postal, courier and material handling and forwarding companies.
- Ideal for heavy, extra heavy & ODC cargo handling and internal transportation.

Enabling Mobility, Fostering Life.

SCAN TO CONNECT

Kalpar Engineers Pvt. Ltd., India's premier castor wheel manufacturer, produces over 2 million durable castors annually. Since 1995, Kalpar Castors has aimed to deliver high-quality mobility solutions for diverse material handling needs. Their constant innovation and attention to detail ensure seamless and comfortable movement of material across various industries. Kalpar's success is driven by engineering innovation and elevated performance standards of their products.

Explore more here: www.kalpar.in



STRONG • STURDY • RELIABLE

KALPAR ENGINEERS PRIVATE LIMITED an ISO 9001: 2015 TUV company (Certified by TUV SUDDEUSCHLAND)



1809-10-11 GIDC Phase IV, Wadhwan 363 035, Gujarat, India.

Tel: +91 2752 243784 / 243784 Email: info@kalpar.in

LIKE I FOLLOW I SUBSCRIBE **f y** in **D** +91 95123 66767









